

IN SILICO ANALYSIS OF PROTEIN NEOPLASTIC BIOMARKERS FOR CERVIX AND UTERINE CANCER

**Mario A. Rodríguez-Pérez¹, Alberto Medina-Aunon²,
Sergio M. Encarnación-Guevara³, Sofia Bernal-Silvia⁴,
Hugo Barrera-Saldaña⁴, and Juan Pablo Albar-Ramírez²**

¹Centro de Biotecnología Genómica. Instituto Politécnico Nacional.
Blvd. del Maestro esq. Elías Piña. Cd. Reynosa, Tamaulipas,
México. e-mail: mrodriguez@ipn.mx;

²Unidad de Proteómica. Centro Nacional de Biotecnología.

Consejo Superior de Investigaciones Científicas (CSIC-CNB). Madrid, Spain;

³Centro de Ciencias Genómicas. Universidad Nacional Autónoma de México. Cuernavaca, Morelos,
México;

⁴Departamento de Bioquímica y Medicina Molecular de la Facultad de Medicina.
Universidad Autónoma de Nuevo León. Monterrey, N. L., México

Worldwide, cervical and uterine cancers are the most deadly cancers in women, with high prevalence, especially in developing countries. The Human Protein Atlas (HPA) portal was explored for proteins expressed in a tissue-or cervix and uterine cancer-specific manner. The group of proteins differentially expressed, and with enhanced expression in the glandular and surface epithelial (squamous) cells retrieved from HPA were further explored using the Protein Information and Knowledge Extractor (PIKE) portal to compile biological information that is found in different databases, and repositories on the Internet. Thus, the lists of candidate proteins found in HPA, and PIKE portals may be used as a starting point for the discovery and validation of biomarkers for cervix and uterine cancer employing proteomics approaches as described in the present paper.

Acknowledgements M. A. Rodríguez-Pérez holds a scholarship from Comisión de Operación y Fomento de Actividades Académicas/Instituto Politécnico Nacional

(COFAA/IPN). M. A. Rodríguez-Pérez thanks COFAA/IPN for supporting travel expenses to attend the congress.